

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	42	(koji near2 kotani).in.	US-PGPUB; USPAT	OR	OFF	2009/02/01 15:23
L2	1	1 and (microwave\$2 and (probe\$2 detector\$2 sensor \$2 monitor\$3)).clm.	US-PGPUB; USPAT	OR	OFF	2009/02/01 15:25
L3	4971	(tokyo near2 electron).as.	US-PGPUB; USPAT	OR	OFF	2009/02/01 15:32
L4	29	3 and (microwave\$2 and (probe\$2 detector\$2 sensor \$2 monitor\$3)).clm.	US-PGPUB; USPAT	OR	OFF	2009/02/01 15:32
S1	1	"20080236489"	US-PGPUB; USPAT	OR	OFF	2009/01/31 16:46
S2	2	("20010024114" "6357385").PN.	US-PGPUB; USPAT	OR	OFF	2009/01/31 18:06
S3	300	156/345.28.ccls.	US-PGPUB; USPAT	OR	OFF	2009/01/31 18:31
S4	183	S3 and @ad<"20040119"	US-PGPUB; USPAT	OR	OFF	2009/01/31 18:31
S5	43	S4 and (microwave\$2 and ((detect\$4 measur\$5 prob \$4 monitor\$4) with (voltage intensity or (electric adj field) or (electromagnetic adj field) or (field near5 strength))))	US-PGPUB; USPAT	OR	OFF	2009/01/31 18:36
S6	754	(156/345.\$2.ccls. 118/715- 733.ccls.) and (microwave \$2 and ((detect\$4 measur \$5 prob\$4 monitor\$4) with (voltage intensity or (electric adj field) or (electromagnetic adj field) or (field near5 strength))))	US-PGPUB; USPAT	OR	OFF	2009/01/31 18:52
S7	628	(156/345.\$2.ccls. 118/715- 733.ccls.) and (microwave \$2 and ((detect\$4 measur \$5 prob\$4 monitor\$4) near7 (voltage intensity or (electric adj field) or (electromagnetic adj field) or (field near5 strength))))	US-PGPUB; USPAT	OR	OFF	2009/01/31 18:52

S8	238	(156/345.\$2.ccls. 118/715-733.ccls.) and (microwave\$2 and antenna and ((detect\$4 measur\$5 prob\$4 monitor\$4) near7 (voltage intensity or (electric adj field) or (electromagnetic adj field) or (field near5 strength))))	US-PGPUB; USPAT	OR	OFF	2009/01/31 18:52
S9	223	S8 not S5	US-PGPUB; USPAT	OR	OFF	2009/01/31 18:53
S10	22	plasma and (microwave\$2 and ((antenna window plate) same ((detect\$4 measur\$5 prob\$4 monitor\$4) near7 (voltage intensity or (electric adj field) or (electromagnetic adj field) or (field near5 strength))))	EPO; JPO; DERWENT	OR	OFF	2009/01/31 19:21
S11	16	S10 and @ad<"20040119"	EPO; JPO; DERWENT	OR	OFF	2009/01/31 19:21
S12	45	(118/715-733 156/345.\$2). ccls. and (microwave\$2 and ((antenna window plate) with ((detect\$4 measur\$5 prob\$4 monitor\$4) near7 (voltage intensity or (electric adj field) or (electromagnetic adj field) or (field near5 strength))))	US-PGPUB; USPAT	OR	OFF	2009/01/31 20:03
S13	27	S12 and @ad<"20040119"	US-PGPUB; USPAT	OR	OFF	2009/01/31 20:03
S14	19	S13 not S5	US-PGPUB; USPAT	OR	OFF	2009/01/31 20:03
S15	349	plasma and (microwave\$2 and ((antenna window plate) with ((detect\$4 measur\$5 prob\$4 monitor\$4) near7 (voltage intensity or (electric adj field) or (electromagnetic adj field) or (field near5 strength))))	US-PGPUB; USPAT	OR	OFF	2009/01/31 20:07
S16	173	S15 and @ad<"20040119"	US-PGPUB; USPAT	OR	OFF	2009/01/31 20:07
S17	146	S16 not S13	US-PGPUB; USPAT	OR	OFF	2009/01/31 20:07
S18	734	118/723MW.ccls. 156/345.36,345.41.ccls.	US-PGPUB; USPAT	OR	OFF	2009/01/31 20:16
S19	595	S18 and @ad<"20040119"	US-PGPUB; USPAT	OR	OFF	2009/01/31 20:16

S20	2	S19 and ((stable stability) and ((antenna window plate) with ((detect\$4 measur\$5 prob\$4 monitor \$4) near7 (voltage intensity or (electric adj field) or (electromagnetic adj field) or (field near5 strength))))))	US-PGPUB; USPAT	OR	OFF	2009/01/31 20:17
S21	1	"20050087304"	US-PGPUB; USPAT	OR	OFF	2009/01/31 21:35
S22	1	"20050087304"	DERWENT	OR	OFF	2009/01/31 21:35
S23	11	S19 and ((antenna window plate) with ((detect\$4 measur\$5 prob\$4 monitor \$4) near7 (voltage intensity field strength))))	US-PGPUB; USPAT	OR	OFF	2009/01/31 22:01
S24	30	S19 and ((antenna window plate) with ((detect\$4 measur\$5 prob\$4 monitor \$4) with (voltage intensity field strength))))	US-PGPUB; USPAT	OR	OFF	2009/01/31 22:04
S25	19	S24 not S23	US-PGPUB; USPAT	OR	OFF	2009/01/31 22:04
S26	40	S19 and ((antenna window dielectric insulat\$4 plate) with ((detect\$4 measur\$5 prob\$4 monitor\$4) with (voltage intensity field strength))))	US-PGPUB; USPAT	OR	OFF	2009/01/31 22:07
S27	10	S26 not S24	US-PGPUB; USPAT	OR	OFF	2009/01/31 22:07
S28	636	156/345.24.ccls.	US-PGPUB; USPAT	OR	OFF	2009/01/31 22:11
S29	1	"6541482".pn.	US-PGPUB; USPAT	OR	OFF	2009/02/01 07:56
S30	1	"6541982".pn.	US-PGPUB; USPAT	OR	OFF	2009/02/01 07:56
S31	4	("5846331" "5936413" "6290807").PN. OR ("6541982").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/02/01 07:56

S32	147	(118/715-733.ccls. 156/345. \$2.ccls.) and (microwave\$2 and ((antenna window plate dielectric) with ((detect\$4 measur\$5 prob \$4 monitor\$4 sense sensor \$2 control\$4) near7 (voltage intensity or (electric adj field) or (electromagnetic adj field) or (field near5 strength))))))	US-PGPUB; USPAT	OR	OFF	2009/02/01 08:00
S33	99	S32 and @ad<"20040119"	US-PGPUB; USPAT	OR	OFF	2009/02/01 08:00
S34	189	(118/715-733.ccls. 156/345. \$2.ccls.) and (microwave\$2 and ((antenna window plate dielectric) with (control\$4 near6 (voltage strength power current intensity radiati\$4))))	US-PGPUB; USPAT	OR	OFF	2009/02/01 08:57
S35	132	S34 and @ad<"20040119"	US-PGPUB; USPAT	OR	OFF	2009/02/01 08:57
S36	87	S35 not S33	US-PGPUB; USPAT	OR	OFF	2009/02/01 08:57
S37	636	156/345.24.ccls.	US-PGPUB; USPAT	OR	OFF	2009/02/01 09:41
S38	385	S37 and @ad<"20040119"	US-PGPUB; USPAT	OR	OFF	2009/02/01 09:41
S39	92	S38 and ((antenna window dielectric) near8 (voltage strength intensity radiation field current))	US-PGPUB; USPAT	OR	OFF	2009/02/01 09:42
S40	734	118/723MW.ccls. 156/345.36,345.41.ccls.	US-PGPUB; USPAT	OR	OFF	2009/02/01 10:05
S41	595	S40 and @ad<"20040119"	US-PGPUB; USPAT	OR	OFF	2009/02/01 10:05
S42	30	S41 and (RLSA or (Radial adj line))	US-PGPUB; USPAT	OR	OFF	2009/02/01 10:05
S43	1955	((sensor\$2 probe\$2 monitor \$2 detector\$2) same (electric\$2 field intensity voltage current radiation)) same (fill\$3 near6 (insulat \$4 resin dielectric))	US-PGPUB; USPAT	OR	OFF	2009/02/01 11:45
S44	209	plasma and ((sensor\$2 probe\$2 monitor\$2 detector \$2) same (electric\$2 field intensity voltage current radiation)) same (fill\$3 near6 (insulat\$4 resin dielectric))	US-PGPUB; USPAT	OR	OFF	2009/02/01 11:46

S45	120	S44 and @ad<"20040119"	US-PGPUB; USPAT	OR	OFF	2009/02/01 11:46
S46	176	plasma and (((sensor\$2 probe\$2 monitor\$2 detector \$2) near7 (distance interval gap\$2)) with wavelength)	US-PGPUB; USPAT	OR	OFF	2009/02/01 12:26
S47	108	S46 and @ad<"20040119"	US-PGPUB; USPAT	OR	OFF	2009/02/01 12:26
S48	212	((standing adj wave\$2) near5 (node\$2 loop maxima)) with wavelength	US-PGPUB; USPAT	OR	OFF	2009/02/01 13:23
S49	162	S48 and @ad<"20040119"	US-PGPUB; USPAT	OR	OFF	2009/02/01 13:23

2/ 1/ 2009 3:54:40 PM

H:\ Workspaces\ RD_Default_112607.wsp